

To: Waye, Don[Waye.Don@epa.gov]
From: FOSTER Eugene P
Sent: Wed 4/3/2013 5:07:38 PM
Subject: RE: EPA/NOAA Contact for Tenmile Lakefront Owners

Thanks Don

From: Waye, Don [mailto:Waye.Don@epa.gov]
Sent: Wednesday, April 03, 2013 6:36 AM
To: Wu, Jennifer; Carlin, Jayne; Powers, David; allison.castellan@noaa.gov
Cc: FOSTER Eugene P; KUCINSKI Michael; Goo, Robert; TROX Randall
Subject: RE: EPA/NOAA Contact for Tenmile Lakefront Owners

Feel free to give them my contact information. Please also refer them to EPA's published management measures, which state CNPCPs must meet:

http://water.epa.gov/polwaste/nps/czara/upload/czara_chapter4_urban.pdf

The OSDS management measures are described on page 97 and page 112, with supplemental material on succeeding pages.

Don Waye
U.S. Environmental Protection Agency
Nonpoint Source Control Branch (OWOW/AWPD)

USPS Mailing Address:	Office (FedEx/UPS delivery):
Mail Code 4503T	Room 7417H
1200 Pennsylvania Ave, NW	1301 Constitution Ave, NW
Washington, DC 20460	Washington, DC 20004

Phone: (202) 566-1170 Fax: (202) 566-1331
Email: waye.don@epa.gov Website: epa.gov/nps

From: Wu, Jennifer
Sent: Tuesday, April 02, 2013 7:02 PM
To: Carlin, Jayne; Powers, David; allison.castellan@noaa.gov; Waye, Don
Subject: FW: EPA/NOAA Contact for Tenmile Lakefront Owners

See email below re: EPA or NOAA contact on CNPCP management measure for OSDS.

From: FOSTER Eugene P [<mailto:FOSTER.Eugene@deq.state.or.us>]
Sent: Tuesday, April 02, 2013 4:00 PM
To: Wu, Jennifer
Subject: FW: EPA/NOAA Contact for Tenmile Lakefront Owners

Hi Jenny - do you have a recommendation for a contact at EPA &/or NOAA for the On-site CNPCP management measure?

thanks

Gene

From: KUCINSKI Michael
Sent: Tuesday, April 02, 2013 3:43 PM
To: TARNOW Karen E; ALDRICH Greg; FOSTER Eugene P; YON Donald R
Subject: EPA/NOAA Contact for Tenmile Lakefront Owners

Good afternoon.

After the public hearing on HB 3172 last week, the Tenmile Lakefront Owners approached me and were looking for a contact at EPA and/or NOAA to talk to about the CZARA requirements, management measures, water quality, etc...

I told them I would see if I could find a contact or two and get them a name and number.

Can you please tell me the best person(s) to get them in contact with?

I believe that they have questions regarding EPA/NOAA approval of our CNPCP, specifically the management measure for onsite septic systems.

Thanks,

Mike

=====

Michael E. Kucinski

Water Quality/Onsite Manager

165 East 7th Avenue, Suite 100

Eugene, OR 97401-3049

Office: 541.687.7331

Mobile: 541.214.0101

Toll In Oregon: 800.844.8467

kucinski.michael@deq.state.or.us

www.oregon.gov/deq